Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
D. Baltimore
D. Branton
J. Cairns
C. R. Cantor
G. N. Cohen
D. M. Crothers
J. E. Darnell
W. F. Dove
G. von Ehrenstein
G. Felsenfeld
G. A. Gilbert
A. Klug
D. E. Koshland
S. Lowey
D. Nathans
D. C. Phillips
C. M. Radding
T. Staehelin
G. M. Tomkins
P. M. B. Walker

VOLUME 72
14 December 1972 to 30 December 1972

ACADEMIC PRESS
LONDON and NEW YORK

Copyright © 1972, by Academic Press Inc. (London) Ltd.
ALL RIGHTS RESERVED
No part of this volume may be reproduced in any
form, by photostat, microfilm, or any other means,
without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 72

NUMBER 1, 14 DECEMBER 1972

BUTLER, P. J. G., DURHAM, A. C. H. and KLUG, A., Structures and Roles of the Polymorphic Forms of Tobacco Mosaic Virus Protein. IV. Control of Mode of Aggregation of Tobacco Mosaic Virus Protein by Proton Binding. . 1

BUTLER, P. J. G. and DURHAM, A. C. H., Structures and Roles of the Polymorphic Forms of Tobacco Mosaic Virus. V. Conservation of the Abnormally Titrating Groups in Tobacco Mosaic Virus 19

BUTLER, P. J. G., Structures and Roles of the Polymorphic Forms of Tobacco Mosaic Virus Protein. VI. Assembly of the Nucleoprotein Rods of Tobacco Mosaic Virus from the Protein Disks and RNA 25

LIN, N. S.-C. and PRATT, D., Role of Bacteriophage M13 Gene *2* in Viral DNA Replication 37

FIDANIÁN, H. M. and RAY, D. S., Replication of Bacteriophage M13. VII. Requirement of the Gene *2* Protein for the Accumulation of a Specific RFII Species 51

LAMBERT, B., Repeated DNA Sequences in a Balbiani Ring 65

AGOL, V. I., ROMANOVA, L. I., ČUMAKOV, I. M., DUNAEVSKAYA, L. D. and BOGDANOV, A. A., Circularity and Cross-linking in Preparations of Replicative Form of Encephalomyocarditis Virus RNA. 77

GREENBERG, J. R. and PERRY, R. P., Relative Occurrence of Polyadenylic Acid Sequences in Messenger and Heterogeneous Nuclear RNA of L Cells as Determined by Polyuridylic acid–Hydroxylapatite Chromatography . 91

LADNER, J. E., FINCH, J. T., KLUG, A. and CLARK, B. F. C., High-resolution X-ray Diffraction Studies on a Pure Species of Transfer RNA . . 99

HIRAGA, S. and YANOFSKY, C., Hyper-labile Messenger RNA in Polar Mutants of the Tryptophan Operon of *Escherichia coli* 103

ISHIHAMA, A. and ITO, K., Subunits of RNA Polymerase in Function and Structure. II. Reconstitution of *Escherichia coli* RNA Polymerase from Isolated Subunits 111

SQUIRE, J. M., General Model of Myosin Filament Structure. II. Myosin Filaments and Cross-bridge Interactions in Vertebrate Striated and Insect Flight Muscles 125

JOBE, A. and BOURGEOIS, S. The *lac* Repressor-ended Operator Interaction. VII. A Repressor with Unique Binding Properties: the X86 Repressor . 139

KAPLAN, H., Determination of the Ionization Constants and Reactivities of the Amino-termini of α-Chymotrypsin 153

SZABO, A. and KARPLUS, M., A Mathematical Model for Structure–Function Relations in Hemoglobin 163

LETTER TO THE EDITOR

TIMKOVICH, R. and DICKERSON, R. E., Preliminary X-ray Studies of a Cytochrome c from *Micrococcus denitrificans* 199

ERRATA 205

NUMBER 2, 28 DECEMBER 1972

STUDIES ON POLYNUCLEOTIDES

KHORANA, H. G., AGARWAL, K. L., BÜCHI, H., CARUTHERS, M. H., GUPTA, N. K., KLEPPE, K., KUMAR, A., OHTSUKA, E., RAJBHANDARY, U. L., VAN DE SANDE, J. H., SGARAMELLA, V., TERAO, T., WEBER, H. and YAMADA, T. CIII. Total Synthesis of the Structural Gene for an Alanine Transfer Ribonucleic Acid from Yeast 209

WEBER, H. and KHORANA, H. G., CIV. Total Synthesis of the Structural Gene for an Alanine Transfer Ribonucleic Acid from Yeast. Chemical Synthesis of an Icosadeoxynucleotide Corresponding to the Nucleotide Sequence 21 to 40 219

BÜCHI, H. and KHORANA, H. G., CV. Total Synthesis of the Structural Gene for an Alanine Transfer Ribonucleic Acid from Yeast. Chemical Synthesis of an Icosadeoxyribonucleotide Corresponding to the Nucleotide Sequence 31 to 50 251

KUMAR, A., OHTSUKA, E. and KHORANA, H. G., CVI. Total Synthesis of the Structural Gene for an Alanine Transfer Ribonucleic Acid from Yeast. Synthesis of two Nonanucleotides and a Heptanucleotide Corresponding to Nucleotide Sequences 22 to 30, 41 to 49 and 28 to 34 289

OHTSUKA, E., KUMAR, A. and KHORANA, H. G., CVII. Total Synthesis of the Structural Gene for an Alanine Transfer Ribonucleic Acid from Yeast. Synthesis of a Dodecadeoxynucleotide and a Hexadeoxynucleotide Corresponding to the Nucleotide Sequence 1 to 12 309

KUMAR, A. and KHORANA, H. G., CVIII. Total Synthesis of the Structural Gene for an Alanine Transfer Ribonucleic Acid from Yeast. Synthesis of an Undecadeoxynucleotide, a Decadeoxynucleotide and an Octadeoxynucleotide Corresponding to the Nucleotide Sequences 7 to 27 329

AGARWAL, K. L., KUMAR, A. and KHORANA, H.G., CIX. Total Synthesis of the Structural Gene for an Alanine Transfer Ribonucleic Acid from Yeast. Synthesis of a Dodecadeoxynucleotide and a Decadeoxynucleotide Corresponding to the Nucleotide Sequence 46 to 65 351

CARUTHERS, M. H., VAN DE SANDE, J. H. and KHORANA, H. G., CX. Total Synthesis of the Structural Gene for an Alanine Transfer Ribonucleic Acid from Yeast. Synthesis of Three Decadeoxynucleotides Corresponding to the Nucleotide Sequence 51 to 70 375

CARUTHERS, M. H. and KHORANA, H. G., CXI. Total Synthesis of the Structural Gene for an Alanine Transfer Ribonucleic Acid from Yeast. Synthesis of a dodecadeoxynucleotide and a Heptadeoxynucleotide Corresponding to the Nucleotide Sequence 66 to 77 407

SGARAMELLA, V. and KHORANA, H. G., CXII. Total Synthesis of the Structural Gene for an Alanine Transfer RNA from Yeast, Enzymic Joining of the Chemically Synthesized Polydeoxynucleotides to form the DNA Duplex Representing Nucleotide Sequence 1 to 20 427

SGARAMELLA, V., KLEPPE, K., TERAO, T., GUPTA, N. K. and KHORANA, H. G., CXIII. Total Synthesis of the Structural Gene for an Alanine Transfer RNA from Yeast. Enzymic Joining of the Chemically Synthesized Segments to form the DNA Duplex Corresponding to Nucleotide Sequence 17 to 50 . 445

VAN DE SANDE, J. H., CARUTHERS, M. H., SGARAMELLA, V., YAMADA, T. and KHORANA, H. G., CXIV. Total Synthesis of the Structural Gene for an Alanine Transfer RNA from Yeast. Enzymic Joining of the Chemically Synthesized Segments to form the DNA Duplex Corresponding to Nucleotide Sequence 46 to 77 457

CARUTHERS, M. H., KLEPPE, K., VAN DE SANDE, J. H., SGARAMELLA, V., AGARWAL, K.L., BÜCHI, H., GUPTA, N. K., KUMAR, A., OHTSUKA, E., RAJBHANDARY, U. L., TERAO, T., WEBER, H., YAMADA, T. and KHORANA, H. G., CXV. Total Synthesis of the Structural Gene for an Alanine Transfer RNA from Yeast. Enzymic Joining to form the Total DNA Duplex. . . 475

NUMBER 3, 30 DECEMBER 1972

SGARAMELLA, V. and KHORANA, H. G., Studies on Polynucleotides. CXVI. A Further Study of the T4 Ligase-catalyzed Joining of DNA at Base-paired Ends 493

BESMER, P., MILLER, R. C., JR., CARUTHERS, M. H., KUMAR, A., MINAMOTO, K., VAN DE SANDE, J. H., SIDAROVA, N. and KHORANA, H. G., Studies on Polynucleotides. CXVII. Hybridization of Polydeoxynucleotides with Tyrosine Transfer RNA Sequences to the *r*-Strand of ϕ80psu_{III}^{+} DNA . 503

WINNACKER, E-L., MAGNUSSON, G. and REICHARD, P., Replication of Polyoma DNA in Isolated Nuclei. I. Characterization of the System from Mouse Fibroblast 3T6 Cells 523

MAGNUSSON, G., WINNACKER, E-L., ELIASSON, R. and REICHARD, P., Replication of Polyoma DNA in Isolated Nuclei. II. Evidence for Semi-conservative Replication 539

DONINI, P., Turnover of Ribosomal RNA during the Stringent Response in *Escherichia coli* 553

OKUYAMA, K., TANAKA, N., ASHIDA, T., KAKUDO, M., SAKAKIBARA, S. and KISHIDA, Y., An X-ray Study of the Synthetic Polypeptide (Pro-Pro-Gly)$_{10}$ 571

HILL, E., TSERNOGLOU, D., WEBB, L. and BANASZAK, L. J., Polypeptide Conformation of Cytoplasmic Malate Dehydrogenase from an Electron Density Map at 3·0 Å Resolution 577

Appendix: JACOBI, T. H., ELLIS, R. A. and FRITSCH, J. M., Molecular Modeling System 589

REINERT, K-E., Adenosine·Thymidine Cluster-specific Elongation and Stiffening of DNA induced by the Oligopeptide Antibiotic Netropsin . . 593

Appendix: Quantitative Determination of Changes of DNA Contour Length and Flexibility from Viscosity Measurements 601

MARK, A. J. and PETRUSKA, J. A., A Method for Predicting RNA Structure from Amino-acid Sequence Data 609

SPUDICH, J. A., HUXLEY, H. E. and FINCH, J. T., Regulation of Skeletal Muscle Contraction. II. Structural Studies of the Interaction of the Tropomyosin–Troponin Complex with Actin 619

MIRZABEKOV, A. D. and GRIFFIN, B. E., 5 s RNA Conformation. Studies of its Partial T_1 Ribonuclease Digestion by Gel Electrophoresis and Two-dimensional Thin-layer Chromatography 633

MACHATTIE, L. A., RHOADES, M. and THOMAS, C. A., JR., Large Repetition in the Non-permuted Nucleotide Sequence of Bacteriophage T1 DNA . . 645

MATSUBARA, I. and ELLIOTT, G. F., X-ray Diffraction Studies on Skinned Single Fibres of Frog Skeletal Muscle 657

LIN, S. and RIGGS, A. D., *lac* Repressor binding to Non-operator DNA: Detailed Studies and a Comparison of Equilibrium and Rate Competition Methods 671

BELLETT, A. J. D. and YOUNGHUSBAND, H. B., Replication of the DNA of Chick Embryo Lethal Orphan Virus 691

Sinha, R. P. and Iyer, V. N., Isolation and some Distinctive Properties of a New Type of Recombination-deficient Mutant of *Bacillus subtilis* . . . 711

Wong, Y. P., Kearns, D. R., Reid, B. R. and Shulman, R. G., Investigation of Exchangeable Protons and the Extent of Base Pairings in Yeast Phenylalanine Transfer RNA by High Resolution Nuclear Magnetic Resonance . 725

Wong, Y. P., Kearns, D. R., Reid, B. R. and Shulman, R. G., The Extent of Base Pairing in 5 s RNA. Yeast 5 s RNA 741

Nierlich, D. P., Regulation of Ribonucleic Acid Synthesis in Growing Bacterial Cells. I. Control over the Total Rate of RNA Synthesis . . 751

Nierlich, D. P., Regulation of Ribonucleic Acid Synthesis in Growing Bacterial Cells. II. Control over the Composition of the Newly Made RNA . 765

Klotz, L. C. and Zimm, B. H., Size of DNA Determined by Viscoelastic Measurements: Results on Bacteriophages, *Bacillus subtilis* and *Escherichia coli* . 779

Letters to the Editor—

Kavenoff, R., Characterization of the *Bacillus subtilis* W23 Genome by Sedimentation 801

Nanninga, N., Meyer, M., Sloof, P. and Reijnders, L., Electron Microscopy of *Escherichia coli* Ribosomal RNA: Spreading without a Basic Protein Film 807

Gimmler, G. M. and Schweizer, E., Use of Disomics in Mapping Ribosomal RNA Genes in *Saccharomyces cerevisiae* 811

Mellema, J. E. and Amos, L. A., Three-dimensional Image Reconstruction of Turnip Yellow Mosaic Virus 819

Index to Volume 72

Actin interaction with tropomyosin–troponin complex, studies on the regulation of skeletal muscle contraction, 619
Adenosine·thymidine cluster-specific elongation and stiffening of DNA induced by the oligopeptide antibiotic netropsin, 593
Agarwal, K. L., Kumar, A. & Khorana, H. G., CIX. Total synthesis of the structural gene for an alanine transfer ribonucleic acid from yeast. Synthesis of a dodecadeoxynucleotide and a decadeoxynucleotide corresponding to the nucleotide sequence 46 to 65, 351
— (see also Caruthers, M. H.), 475
— (see also Khorana, H. G.), 209
Agol, V. I., Romanova, L. I., Cumakov, I. M., Dunaevskaya, L. D. & Bogdanov, A. A., Circularity and cross-linking in preparations of replicative form of encephalomyocarditis virus RNA, 77
Alanine tRNA from yeast, chemical synthesis of a dodeca-deoxynucleotide and a decadeoxynucleotide corresponding to the nucleotide sequence 46 to 65 of the structural gene, 351
— — — — — — — — — — — heptadeoxynucleotide corresponding to the nucleotide sequence 66 to 77 of the structural gene, 407
— — — — — — — — — — — — hexadeoxynucleotide corresponding to nucleotide sequence 1 to 12 of the structural gene, 309
— — — — — — — — — — — undecadeoxynucleotide, a decadeoxynucleotide and an octadeoxynucleotide corresponding to the nucleotide sequences 7 to 27 of the structural gene, 329
— — — — — — — — the icosadeoxynucleotide corresponding to nucleotide sequence 21 to 40 of the structural gene, 219
— — — — — — — — — — — — — 31 to 50 of the structural gene, 251
— — — — — — — three decadeoxynucleotides corresponding to the nucleotide sequence 51 to 70 of the structural gene, 375
— — — — — — — two nonanucleotides and a heptanucleotide corresponding to sequences 22 to 30, 41 to 49 and 28 to 34 of the structural gene, 289
— — — —, enzymic joining of the chemically synthesized polydeoxynucleotides to form the DNA duplex sequence 1 to 20 of the structural gene, 427
— — — —, — — — — — — — segments to form the DNA duplex corresponding to the nucleotide sequence 17 to 50 of the structural gene, 445
— — — —, — — — — — — — — — — — — — — — — — — 46 to 77 of the structural gene, 457
— — — —, — — to form the total DNA duplex of the structural gene, 475
— — — —, structural gene totally synthesised, 209
Amino-termini of α-chymotrypsin, ionization constants and reactivities, 153
Amos, L. A. (see also Mellema, J. E.), 819
Ashida, T. (see also Okuyama, K.), 571

Bacillus subtilis DNA size by viscoelastic measurements, 779
— —, isolation and distinctive properties of a new type of recombination-deficient mutant, 711
— — W23 genome characterization by sedimentation, 801
Bacterial cells, control over the composition of the newly made RNA, 765
— —, total rate control of RNA synthesis, 751
Bacteriophage DNA size by viscoelastic measurements, 779
— M13 gene *2*, role in viral DNA replication, 37
— — replication, requirement of the gene *2* protein for accumulation of a specific RFII species, 51
— T1 DNA, large repetition of the non-permuted nucleotide sequences, 645
— T_1 ribonuclease, partial digest of 5 s RNA by gel electrophoresis and thin-layer chromatography, 633
— T4 ligase-catalyzed joining of DNA at base-paired ends, 493
Balbiani ring, DNA sequence repetition, 65
Banaszak, L. J. (see also Webb, L.), 577

Bellett, A. J. D. & Younghusband, H. B., Replication of the DNA of chick embryo lethal orphan virus, 691
Besmer, P., Miller, R. C. Jr, Caruthers, M. H., Kumar, A., Minamoto, K., van de Sande, J. H., Sidarova, N. & Khorana, H. G., Studies on polynucleotides. CXVII. Hybridization of polydeoxynucleotides with tyrosine tRNA sequences to the *r*-strand of $\phi 80psu^{+}_{III}$ DNA, 503
Bogdanov, A. A. (see also Agol, V. I.), 77
Bourgeois, S. (see also Jobe, A.), 139
Büchi, H. & Khorana, H. G., CV. Total synthesis of the structural gene for an alanine transfer ribonucleic acid from yeast. Chemical synthesis of an icosadeoxyribonucleotide corresponding to the nucleotide sequence 31 to 50, 251
— (see also Caruthers, M. H.), 475
— (see also Khorana, H. G.), 209
Butler, P. J. G. & Durham, A. C. H., Structures and roles of the polymorphic forms of tobacco mosaic virus. V. Conservation of the abnormally titrating groups in tobacco mosaic virus, 19
—, — & Klug, A., Structures and roles of the polymorphic forms of tobacco mosaic virus protein. IV. Control of mode of aggregation of tobacco mosaic virus protein by proton binding, 1
—, Structures and roles of the polymorphic forms of tobacco mosaic virus. VI. Assembly of the nucleoprotein rods of tobacco mosaic virus from the protein disks and RNA, 25

Caruthers, M. H. & Khorana, H. G., CXI. Total synthesis of the structural gene for an alanine transfer ribonucleic acid from yeast. Synthesis of a dodecadeoxynucleotide and a heptadeoxynucleotide corresponding to the nucleotide sequence 66 to 77, 407
—, Kleppe, K., van de Sande, J. H., Sgaramella, V., Agarwal, K. L., Büchi, H., Gupta, N. K., Kumar, A., Ohtsuka, E., RajBhandary, U. L., Terao, T., Weber, H., Yamada, T. & Khorana, H. G., CXV. Total synthesis of the structural gene for alanine transfer RNA from yeast. Enzymic joining to form the total DNA duplex, 475
—, van de Sande, J. H. & Khorana, H. G. CX. Total synthesis of the structural gene for an alanine transfer ribonucleic acid from yeast. Synthesis of three decadeoxynucleotides corresponding to the nucleotide sequence 51 to 70, 375
— (see also Besmer, P.), 503
— (see also Khorana, H. G.), 209
— (see also van de Sande, J. H.), 457
Chick embryo lethal orphan virus, DNA replication, 691
α-Chymotrypsin, ionization constants and reactivities of the amino-termini, 153
Circularity and cross-linking in preparations of replicative form of encephalomyocarditis virus RNA, 77
Clark, B. F. C. (see also Ladner, J. E.), 99
Cross-linking and circularity in preparations of replicative form of encephalomyocarditis virus RNA, 77
Čumakov, I. M. (see also Agol, V. I.), 77
Cytochrome *c* from *Micrococcus denitrificans*, preliminary X-ray studies, 199
Cytoplasmic malate dehydrogenase, polypeptide conformation from an electron density map at 3·0 Å resolution, 577

Dehydrogenase, malate cytoplasmic, polypeptide conformation from an electron density map at 3·0 Å resolution, 577
Deoxyribonucleic acid contour length and viscosity measurements, quantitative determination of changes, 601
— —, enzymic joining of chemically synthesized segments to form the DNA duplex corresponding to the nucleotide sequence 17 to 50 during the total synthesis of the structural gene for yeast alanine tRNA, 445
— —, — — — — — polydeoxynucleotides to form the duplex representing nucleotide sequence 1 to 20 during the synthesis of the structural gene for an alanine tRNA from yeast, 427
— —, — — — — — segments to form the duplex corresponding to nucleotide sequence 46 to 77 during the total synthesis of the structural gene for yeast alanine tRNA, 457
— —, — — to form the total DNA duplex during the total synthesis of the structural gene for yeast alanine tRNA, 475
— — of chick embryo lethal orphan virus, replication, 691
— — — T1 bacteriophage, large repetition of the non-permuted nucleotide sequence, 645
— —, non-operator, *lac* repressor binding and comparison of equilibrium and rate competition methods, 671
— —, polyoma from isolated nuclei, characterization of the system from mouse fibroblast 3T6 cells, 523

Deoxyribonucleic acid, polyoma from isolated nuclei, evidence for semi-conservative replication, 539
— — replication , viral, role of bacteriophage M13 gene *2*, 37
— —, *r*-strand of ϕ80psu^{+}_{III} DNA, hybridization to tyrosine tRNA polydeoxynucleotide sequences, 503
— — sequence repetition in a Balbiani ring, 65
— — size of bacteriophages, *Bacillus subtilis* and *Escherichia coli* by viscoelastic measurements, 779
— —, T4 ligase-catalyzed joining at base-paired ends, 493
— —, thymidine·adenosine cluster-specific elongation and stiffening induced by the oligopeptide antibiotic netropsin, 593
Dickerson, R. E. (see also Timkovich, R.), 199
Donini, P., Turnover of ribosomal RNA during the stringent response in *Escherichia coli*, 553
Disomics, use in mapping ribosomal RNA genes in *Saccharomyces cerevisiae*, 811
Dunaevskaya, L. D. (see also Agol, V. I.), 77
Durham, A. C. H. (see also Butler, P. J. G.), 1; 19

Electron density map at 3·0 Å resolution, polypeptide conformation of cytoplasmic malate dehydrogenase, 577
— microscopy of *Escherichia coli* ribosomal RNA, spreading without a basic protein film, 807
Eliasson, R. (see also Magnusson, G.), 539
Elliott, G. F. (see also Matsubara, I.), 657
Ellis, R. A. (see also Jacobi, T. H.), 589
Embryo of chick, DNA replication of lethal orphan virus, 691
Encephalomyocarditis virus, circularity and cross-linking in replicative form RNA, 77
Escherichia coli DNA size by viscoelastic measurements, 779
— —, hyper-labile mRNA in polar mutants of the tryptophan operon, 103
— — ribosomal RNA investigated by electron microscopy, spreading without a basic film, 807
— — RNA polymerase reconstitution from isolated subunits, 111
— —, turnover of ribosomal RNA during the stringent response, 553

Fibroblast, mouse, 3T6 cells, characterization of the system of replication of polyoma DNA in isolated nuclei, 523
Fidanián, H. M. & Ray, D. S., Replication of bacteriophage M13. VII. Requirement of the gene *2* protein for the accumulation of a specific RFII species, 51
Finch, J. T. (see also Ladner, J. E.), 99
— (see also Spudich, J. A.), 619
Flight muscle of insect, myosin filaments and cross-bridge interactions, 125
Fritsch, J. M. (see also Jacobi, T. H.), 589
Frog skeletal muscle, X-ray diffraction studies on skinned single fibres, 657

Gel electrophoresis and two-dimensional thin-layer chromatography studies of partial T_1 ribonuclease digestion of 5 s RNA, 633
Genome W23 of *Bacillus subtilis*, characterization by sedimentation, 801
Gimmler, G. M. & Schweizer, E., Use of disomics in mapping ribosomal RNA genes in *Saccharomyces cerevisiae*, 811
Greenberg, J. R. & Perry, R. P., Relative occurrence of polyadenylic acid sequences in messenger and heterogeneous nuclear RNA of L cells as determined by polyuridylic acid–hydroxylapatite chromatography, 91
Griffin, B. E. (see also Mirzabekov, A. D.), 633
Gupta, N. K. (see also Caruthers, M. H.), 475
—(see also Khorana, H. G.), 209
— (see also Sgaramella, V.), 445

Hemoglobin, mathematical model for structure–function relations, 163
Heterogenous nuclear RNA of L cells, relative occurrence of polyadenylic acid sequences as determined by polyuridylic acid–hydroxylapatite chromatography, 91
Hill, E., Tsernoglou, D., Webb, L. & Banaszak, L. J., Polypeptide formation of cytoplasmic malate dehydrogenase from an electron density map at 3·0 Å resolution, 577
Hiraga, S. & Yanofsky, C., Hyper-labile messenger RNA in polar mutants of the tryptophan operon of *Escherichia coli*, 103
Huxley, H. E. (see also Spudich, J. A.), 619

Insect flight muscle, myosin filaments and cross-bridge interactions, 125
Ionization constants and reactivities of the amino-termini of α-chymotrypsin, 153
Ishihama, A. & Ito, K., Subunits of RNA polymerase in function and structure. II. Reconstitution of *Escherichia coli* RNA polymerase from isolated subunits, 111
Ito, K. (see also Ishihama, A.), 111
Iyer, V. N. (see also Sinha, R. P.), 711

Jacobi, T. H., Ellis, R. A. & Fritsch, J. M., Appendix: Molecular modeling system, 589
Jobe, A. & Bourgeois, S., The *lac* repressor-ended operator interaction. VII. A repressor with unique binding properties: the X86 repressor, 139

Kakudo, M. (see also Okuyama, K.), 571
Kaplan, H., Determination of the ionization constants and reactivities of the amino-termini of α-chymotrypsin, 153
Karplus, M. (see also Szabo, A.), 163
Kavenoff, R., Characterization of the *Bacillus subtilis* W23 genome by sedimentation, 801
Kearns, D. R. (see also Wong, Y. P.), 725; 741
Khorana, H. G., Agarwal, K. L., Büchi, H., Caruthers, M. H., Gupta, N. K., Kleppe, K., Kumar, A., Ohtsuka, E., RajBhandary, U. L., van de Sande, J. H., Sgaramella, V., Terao, T., Weber, H. & Yamada, T., CIII. Total synthesis of the structural gene for an alanine transfer RNA from yeast, 209
— (see also Agarwal, K. L.), 351
— (see also Besmer, P.), 503
— (see also Büchi, H.), 251
— (see also Caruthers, M. H.), 375; 407; 475
— (see also Kumar, A.), 289; 329
— (see also Ohtsuka, E.), 309
— (see also Sgaramella, V.), 427; 445; 493
— (see also van de Sande, J. H.), 457
— (see also Weber, H.), 219
Kishida, Y. (see also Okuyama, K.), 571
Kleppe, K. (see also Caruthers, M. H.), 475
— (see also Khorana, H. G.), 209
— (see also Sgaramella, V.), 445
Klotz, L. C. & Zimm, B. H., Size of DNA determinated by viscoelastic measurements: results on bacteriophages, *Bacillus subtilis* and *Escherichia coli*, 779
Klug, A. (see also Butler, P. J. G.), 1
— (see also Ladner, J. E.), 99
Kumar, A. & Khorana, H. G., CVIII. Total synthesis of the structural gene for an alanine transfer ribonucleic acid from yeast. Synthesis of an undecadeoxynucleotide, a decadeoxynucleotide and an octadeoxynucleotide corresponding to the nucleotide sequence 7 to 27, 329
—, Ohtsuka, E. & Khorana, H. G., CVI. Total synthesis of the structural gene for an alanine transfer ribonucleic acid from yeast. Synthesis of two nonanucleotides and a heptanucleotide corresponding to nucleotide sequences 22 to 30, 41 to 49 and 28 to 34, 289
— (see also Agarwal, K. L.), 351
— (see also Besmer, P.), 503
— (see also Caruthers, M. H.), 475
— (see also Khorana, H. G.), 209
— (see also Ohtsuka, E.), 309

L cells, relative occurrence of polyadeylic acid sequences in heterogenous nuclear and mRNA as determined by polyuridylic acid–hydroxylapatite chromatography, 91
lac Repressor binding to non-operator DNA, detailed studies and comparison of equilibrium and rate competition methods, 671
— Repressor-ended operator interaction, 139
Ladner, J. E., Finch, J. T., Klug, A. & Clark, B. F. C., High-resolution X-ray diffraction studies on a pure species of transfer RNA, 99
Lambert, B., Repeated DNA sequences in a Balbiani ring, 65
Lethal orphan (see Virus), 691
Ligase of T4 catalyzed joining of DNA at base-paired ends, 493

Lin, N. S.-C. & Pratt, D., Role of bacteriophage M13 gene *2* in viral DNA replication, 37
Lin, S. & Riggs, A. D., *lac* Repressor binding to non-operator DNA: detailed studies and a comparison of equilibrium and rate competition methods, 671

M13 (see Bacteriophage), 37; 51
MacHattie, L. A., Rhoades, M. & Thomas, C. A., Jr., Large repetition in the non-permuted nucleotide sequence of bacteriophage T1 DNA, 645
Magnusson, G. (see also Winnacker, E-L.), 523
—, Winnacker, E-L., Eliasson, R. & Reichard, P., Replication of polyoma DNA in isolated nuclei. II. Evidence for semi-conservative replication, 539
Malate dehydrogenase, cytoplasmic, polypeptide conformation from an electron density map at 3·0 Å resolution, 577
Mark, A. J. & Petruska, J. A., A method for predicting RNA structure from amino-acid sequence data, 609
Mathematical model for structure–function relations in hemoglobin, 163
Matsubara, I. & Elliott, G. F., X-ray diffraction studies on skinned single fibres of frog skeletal muscle, 657
Mellema, J. E. & Amos, L. A., Three-dimensional image reconstruction of turnip yellow mosaic virus, 819
Messenger RNA of L cells, relative occurence of polyadenylic acid sequences as determined by polyuridylic acid–hydroxylapatite chromatography, 91
— — which is hyper-labile in polar mutants of the tryptophan operon of *Escherichia coli*, 103
Meyer, M. (see also Nanninga, N.), 807
Micrococcus denitrificans cytochrome *c*, preliminary X-ray studies, 199
Miller, R. C. Jr. (see also Besmer, P.), 503
Minamoto, K. (see also Besmer, P.), 503
Mirzabekov, A. D. & Griffin, B. E., 5 s RNA conformation. Studies of its partial T_1 ribonuclease digestion by gel-electrophoresis and two-dimensional thin-layer chromatography, 633
Molecular modeling system, 589
Mouse fibroblast 3T6 cells: characterization of the system of replication of polyoma DNA in isolated nuclei, 523
Muscle, contraction of skeletal, studies of the interaction of tropomyosin–troponin complex with actin, 619
—, skeletal of frog, X-ray diffraction studies on skinned single fibres, 657
Muscles, vertebrate striated and insect flight, myosin filaments and cross-bridge interactions, 125
Myosin filaments and cross-bridge interactions in vertebrate striated and insect flight muscles, 125

Nanninga, N., Meyer, M., Sloof, P. & Reijnders, L., Electron microscopy of *Escherichia coli* ribosomal RNA: spreading without a basic protein film, 807
Netropsin, oligopeptide antibiotic inducing adenosine·thymidine cluster-specific elongation and stiffening of DNA, 593
Nierlich, D. P., Regulation of RNA synthesis in growing bacterial cells. I. Control over the total rate of RNA synthesis, 751
—, — — — — — — — —. II. Control over the composition of newly made RNA, 765
Non-operator DNA binding of *lac* repressor and comparison of equilibrium and rate competition methods, 671
Nuclear magnetic resonance at high resolution, exchangeable protons and extent of base pairings in yeast phenylalanine tRNA, 725
— RNA of L cells, heterogeneous, relative occurrence of polyadenylic acid sequences as determined by polyuridylic acid–hydroxylapatite chromatography, 91
Nucleoprotein rod assembly from protein disks and RNA in tobacco mosaic virus, 25
Nucleotide sequence of bacteriophage T1 DNA, large repetition of the non-permuted sequence, 645
— synthesis, a dodecadeoxynucleotide and a decadeoxynucleotide corresponding to the nucleotide sequence 46 to 65 chemically synthesized during the synthesis of the structural gene for an alanine tRNA from yeast, 351
— —, — — — — — heptadeoxynucleotide corresponding to the nucleotide sequence 66 to 77 chemically synthesized during the synthesis of the structural gene for an alanine tRNA from yeast, 407
— —, — — — — hexadeoxynucleotide corresponding to nucleotide sequence 1 to 12 chemically synthesized during the synthesis of the structural gene for an alanine tRNA from yeast, 309
— —, an icosadeoxyribonucleotide corresponding to nucleotide sequence 31 to 50 chemically synthesized during the synthesis of the structural gene for an alanine tRNA from yeast, 251

Nucleotide synthesis, an undecadeoxynucleotide, a decadeoxynucleotide and a octadeoxynucleotide corresponding to nucleotide sequence 7 to 27 chemically synthesized during the synthesis of the structural gene for an alanine tRNA from yeast, 329
— —, icosadeoxynucleotide corresponding to nucleotide sequence 21 to 40 chemically synthesized during the synthesis of the structural gene for an alanine tRNA from yeast, 219
— —, three decadeoxynucleotides corresponding to the nucleotide sequence 51 to 70 chemically synthesized during the synthesis of the structural gene for an alanine tRNA from yeast, 375

Ohtsuka, E., Kumar, A. & Khorana, H. G., CVII. Total synthesis of the structural gene for an alanine transfer ribonucleic acid from yeast. Synthesis of a dodecadeoxynucleotide and a hexadeoxynucleotide corresponding to the nucleotide sequence 1 to 12, 309
— (see also Caruthers, M. H.), 475
— (see also Khorana, H. G.), 209
— (see also Kumar, A.), 289
Okuyama, K., Tanaka, N., Ashida, T., Kakudo, M., Sakakibara, S. & Kishida, Y., An X-ray study of the synthetic polypeptide $(Pro\text{-}Pro\text{-}Gly)_{10}$, 571

Perry, R. P. (see also Greenberg, J. R.), 91
Petruska, J. A. (see also Mark, A. J.), 609
Phenylalanine tRNA of yeast, exchangeable protons and extent of base pairings by high resolution nuclear magnetic resonance, 725
Polar mutants of the tryptophan operon of *Escherichia coli* having hyper-labile mRNA, 103
Polyadenylic acid sequences, relative occurrence in heterogenous nuclear and mRNA of L cells as determined by polyuridylic acid–hydroxylapatite chromatography, 91
Polydeoxynucleotide hybridization with tyrosine tRNA sequences to the *r*-strand of $\phi 80 psu^{+}_{III}$ DNA, 503
Polydeoxynucleotides, chemically synthesized, enzymic joining to form the DNA duplex representing the nucleotide sequence 1 to 20 during the total synthesis of the structural gene for an alanine tRNA from yeast, 427
Polymerase for RNA of *Escherichia coli*, reconstitution from isolated subunits, 111
Polynucleotides, T4 ligase-catalyzed joining of DNA at base-paired ends, 493
Polyoma DNA in isolated nuclei, characterization of the system from mouse fibroblast 3T6 cells, 523
— — — — —, evidence for semiconservative replication, 539
Pratt, D. (see also Lin, N. S.-C.), 37
$(Pro\text{-}Pro\text{-}Gly)_{10}$ and X-ray study of the synthetic polypeptide, 571

RajBhandary, U. L. (see also Caruthers, M. H.), 475
— (see also Khorana, H. G.), 209
Ray, D. S. (see also Fidanián, H. M.), 51
Recombination-deficient mutant of *Bacillus subtilis*, isolation and distinctive properties, 711
Reichard, P. (see also Magnusson, G.), 539
— (see also Winnacker, E-L.), 523
Reid, B. R. (see also Wong, Y. P.), 725; 741
Reijnders, L. (see also Nanninga, N.), 807
Reinert, K-E., Adenosine·thymidine cluster-specific elongation and stiffening of DNA induced by the oligopeptide antibiotic netropsin, 593
— *Appendix:* Quantitative determination of changes of DNA contour length and flexibility from viscosity measurements, 601
Replicative form of encephalomyocarditis virus RNA preparations, cross-linking and circularity, 77
Repressor, *lac*, binding to non-operator DNA, detailed studies and comparison of equilibrium and rate competition methods, 671
— with unique binding properties, the X86 repressor, 139
Rhoades, M. (see also MacHattie, L. A.), 645
Ribonuclease of T_1, partial digestion of 5 s RNA studied by gel electrophoresis and two-dimensional thin-layer chromatography, 633
Ribonucleic acid, a method of predicting structure from amino-acid sequence data, 609

Ribonucleic acid, alanine transfer from yeast, chemical synthesis of a dodecdeoxynucleotide and a decadeoxynucleotide corresponding to the nucleotide sequence 46 to 65 of the structural gene, 351
— —, — — — —, — — — three decadeoxynucleotides corresponding to the nucleotide sequence 51 to 70 of the structural gene, 375
— —, — — — —, enzymic joining of the chemically synthesized polydeoxynucleotides to form the DNA sequence 1 to 20 of the structural gene, 427
— —, — — — —, — — — — — — — — — — — — 46 to 77 of the structural gene, 457
— — and protein disks used in the assembly of nucleoprotein rods in tobacco mosaic virus, 25
— —, circularity and cross-linking in preparations of replicative form of encephalomyocarditis virus RNA, 77
— —, control over the composition of the newly made RNA in growing bacterial cells, 765
— —, hyper-labile messenger, in polar mutants of the tryptophan operon of *Escherichia coli*, 103
— —, phenylalanine transfer of yeast, exchangeable protons and extent of base pairings by high-resolution nuclear magnetic resonance, 725
— — polymerase of *Escherichia coli*, reconstitution from isolated subunits, 111
— —, relative occurrence of polyadenylic acid in heterogeneous nuclear and mRNA of L cells as determined by polyuridylic acid–hyroxylapatite chromatography, 91
— —, ribosomal, of *Escherichia coli*, spreading without a basic film for electron microscopy, 807
— —, —, turnover during the stringent response in *Escherichia coli*, 553
— —, 5 S of yeast, extent of base pairing, 741
— —, — —, partial T_1 ribonuclease digestion by gel electrophoresis and two-dimensional thin-layer chromatography, 633
— —, structural gene for an alanine tRNA from yeast totally synthesized, 209
— — synthesis, total rate control in growing bacterial cells, 751
— —, transfer for alanine from yeast, chemical synthesis of a dodecadeoxynucleotide and a heptadeoxynucleotide corresponding to the nucleotide sequence 66 to 77 of the structural gene, 407
— —, — — — — —, — — — — — — hexadeoxynucleotide corresponding to nucleotide sequence 1 to 12 of the structural gene, 309
— —, — — — — —, — — — an undecadeoxynucleotide, a decadeoxynucleotide and an octadeoxynucleotide corresponding to nucleotide sequences 7 to 27 of the structural gene, 329
— —, — — — — —, — — — the icosadeoxyribonucleotide corresponding to the nucleotide sequence 31 to 50 of the structural gene, 251
— —, — — — — —, — — — — icosadeoxynucleotide corresponding to nucleotide sequence 21 to 40 of the structural gene, 219
— —, — — — — —, — — — — two nonanucleotides and a heptanucleotide corresponding to sequences 22 to 30, 41 to 49 and 28 to 34 of the structural gene, 289
— —, — — — — —, enzymic joining to form the total DNA duplex of the structural gene, 475
— —, — — tyrosine, polydeoxynucleotide sequences hybridization to the *r*-strand of $\phi 80 psu^+_{III}$ DNA, 503
— —, —, X-ray diffraction studies at high resolution on a pure species, 99
— —, use of disomics in mapping ribosomal RNA in *Saccharomyces cerevisiae*, 811
Ribosomal RNA genes in *Saccharomyces cerevisiae*, use of disomics in mapping, 811
— — of *Escherichia coli* by electron microscopy, spreading without a basic protein film, 807
— — turnover during the stringent response in *Escherichia coli*, 553
Riggs, A. D. (see also Lin, S.), 671
Romanova, L. I. (see also Agol, V. I.), 77

r-Strand of $\phi 80 psu^+_{III}$ DNA, hybridization to tyrosine tRNA polydeoxynucleotide sequences, 503
Saccharomyces cerevisiae, use of disomics in mapping ribosomal RNA genes, 811
Sakakibara, S. (see also Okuyama, K.), 571
van de Sande, J. H., Caruthers, M. H., Sgaramella, V., Yamada, T. & Khorana, H. G., CXIV. Total synthesis of the structural gene for an alanine transfer RNA from yeast. Enzymic joining of the chemically synthesized segments to form the DNA duplex corresponding to nucleotide sequence 46 to 77, 457
— (see also Besmer, P.), 503
— (see also Caruthers, M. H.), 375, 475
— (see also Khorana, H. G.), 209
Schweizer, E. (see also Gimmler, G. M.), 811
Sedimentation used to characterize the W23 genome of *Bacillus subtilis*, 801

Semi-conservative replication, evidence in polyoma DNA from isolated nuclei, 539
Sgaramella, V. & Khorana, H. G., Studies on polynucleotides, CXVI. A further study of the T4 ligase-catalyzed joining of DNA at base-paired ends, 493
— —, CXII. Total synthesis of the structural gene for an alanine transfer RNA from yeast. Enzymic joining of the chemically synthesized polydeoxynucleotides to form the DNA duplex representing nucleotide sequence 1 to 20, 427
—, Kleppe, K., Terao, T., Gupta, N. K. & Khorana, H. G. CXIII. Total synthesis of the structural gene for an alanine transfer RNA from yeast. Enzymic joining of the chemically synthesized segments to form the DNA duplex corresponding to nucleotide sequence 17 to 50, 445
— (see also Caruthers, M. H.), 475
— (see also Khorana, H. G.), 209
— (see also van de Sande, J. H.), 457
Shulman, R. G. (see also Wong, Y. P.), 725; 741
Sidarova, N. (see also Besmer, P.), 503
Sinha, R. P. & Iyer, V. N., Isolation and some distinctive properties of a new type of recombination-deficient mutant of *Bacillus subtilis*, 711
Skeletal muscle contraction, studies of the interaction of tropomyosin–troponin complex with actin, 619
— — of frog, X-ray diffraction studies on skinned single fibres, 657
Sloof, P. (see also Nanninga, N.), 807
Spudich, J. A., Huxley, H. E. & Finch, J. T., Regulation of skeletal muscle contraction. II. Structural studies of the interaction of the tropomyosin–troponin complex with actin, 619
Squire, J. M., General model of myosin filament structure. II. Myosin filaments and cross-bridge interactions in vertebrate striated and insect flight muscles, 125
Striated muscle of vertebrate, myosin filaments and cross-bridge interactions, 125
Stringent response, ribosomal RNA turnover in *Escherichia coli*, 553
Szabo, A. & Karplus, M., A mathematical model for structure–function relations in hemoglobin, 163

T1 (see Bacteriophage), 645
T_1 (see Ribonuclease), 633
T4 (see Bacteriophage), 493
Tanaka, N. (see also Okuyama, K.), 571
Terao, T. (see also Caruthers, M. H.), 475
— (see also Khorana, H. G.), 209
— (see also Sgaramella, V.), 445
Thomas, C. A., Jr. (see also MacHattie, L. A.), 645
Thymidine·adenosine cluster-specific elongation and stiffening of DNA induced by the oligonucleotide antibiotic netropsin, 593
Timkovich, R. & Dickerson, R. E., Preliminary X-ray studies of a cytochrome *c* from *Micrococcus denitrificans*, 199
Tobacco mosaic virus. assembly of nucleoprotein rods from the protein disks and RNA, 25
— — —, conservation of abnormally titrating groups, 19
— — — protein, control of mode of aggregation by proton binding, 1
Transfer RNA for alanine from yeast, chemical synthesis of a dodecadeoxynucleotide and a decadeoxynucleotide corresponding to the nucleotide sequence 46 to 65 of the structural gene, 351
— — — — — —, — — — — — — — — heptadeoxynucleotide corresponding to the nucleotide sequence 66 to 77 of the structural gene, 407
— — — — — —, — — — — — — — — hexadeoxynucleotide corresponding to nucleotide sequence 1 to 12 of the structural gene, 309
— — — — — —, — — — — an undecadeoxynucleotide, a decadeoxynucleotide and an octadeoxynucleotide corresponding to the nucleotide sequences 7 to 27 of the structural gene, 329
— — — — — —, — — — — the icosadeoxynucleotide corresponding to nucleotide sequence 21 to 40 of the structural gene, 219
— — — — — —, — — — — — icosadeoxyribonucleotide corresponding to nucleotide sequence 31 to 50 of the structural gene, 251
— — — — — —, — — — three decadeoxynucleotides corresponding to the nucleotide sequence 51 to 70 of the structural gene, 375
— — — — — —, — — — two nonanucleotides and a heptanucleotide corresponding to sequences 22 to 30, 41 to 49 and 28 to 34 of the structural gene, 289
— — — — — —, enzymic joining of the chemically synthesized polydeoxynucleotides to form the DNA sequence 1 to 20 of the structural gene, 427

Transfer RNA for alanine from yeast, enzymic joining of the chemically synthesized segments to form the DNA sequence 17 to 50 of the structural gene, 445
— — — — — —, — — — — — — — — — — — — — — 46 to 77 of the structural gene, 457
— — — — — —, — — to form the total DNA duplex of the structural gene, 475
— — — — — —, structural gene totally synthesized, 209
— — — phenylalanine of yeast, exchangeable protons and extent of base pairings by high-resolution nuclear magnetic resonance, 725
— — — tyrosine, polydeoxynucleotide sequences hybridization to the *r*-strand of $\phi 80psu^{+}_{III}$ DNA, 503
— —, X-ray diffraction studies at high resolution on a pure species, 99
Tropomyosin–troponin complex interaction with actin, studies on the regulation of skeletal muscle contraction, 619
Tryptophan operon of *Escherichia coli*, hyper-labile mRNA in polar mutants, 103
Tsernoglou, D. (see also Hill, E.), 577
Turnip yellow mosaic (see Virus), 819
Tyrosine tRNA polydeoxynucleotide sequences, hybridization to the *r*-strand of $\phi 80psu^{+}_{III}$ DNA, 503

Vertebrate striated muscle, myosin filaments and cross-bridge interactions, 125
Viral DNA replication, role of bacteriophage M13 gene *2*, 37
Virus, lethal orphan, of chick embryo, DNA replication, 691
— (see Encephalomyocarditis), 77
— (see Tobacco mosaic), 1; 19; 25
—, turnip yellow mosaic, three-dimensional image reconstruction, 819
Viscoelastic measurement determination of bacteriophage, *Bacillus subtilis* and *Escherichia coli* DNA size, 779
Viscosity measurements and contour length, quantitative determination of changes in DNA, 601

W23 (see Genome), 801
Webb, L. (see also Hill, E.), 577
Weber, H. & Khorana, H. G., CIV. Total synthesis of the structural gene for an alanine transfer ribonucleic acid from yeast. Chemical synthesis of an icosadeoxynucleotide corresponding to the nucleotide sequence 21 to 40, 219
— (see also Caruthers, M. H.), 475
— (see also Khorana, H. G.), 209
— (see also Magnusson, G.), 539
Winnacker, E-L., Magnusson, G. & Reichard, P., Replication of polyoma DNA in isolated nuclei. I. Characterization of the system from mouse fibroblast 3T6 cells, 523
Wong, Y. P., Kearns, D. R., Reid, B. R. & Shulman, R. G., Investigation of exchangeable protons and the extent of base pairing in yeast phenylalanine transfer RNA by high-resolution nuclear magnetic resonance, 725
—,—,—,—, The extent of base pairing in 5 s RNA. Yeast 5 s RNA, 741

X86 (see Repressor), 139
X-ray diffraction studies at high resolution on a pure species of tRNA, 99
— — — on skinned single fibres of frog skeletal muscle, 657
— — of a cytochrome *c* from *Micrococcus denitrificans*, 199
— study of the synthetic polypeptide $(Pro\text{-}Pro\text{-}Gly)_{10}$, 571

Yamada, T. (see also Caruthers, M. H.), 475
— (see also Khorana, H. G.), 209
— (see also van de Sande, J. H.), 457
Yanofsky, C. (see also Hiraga, S.), 103
Yeast alanine tRNA, chemical synthesis of a dodecadeoxynucleotide and a decadeoxynucleotide corresponding to the nucleotide sequence 46 to 65 of the structural gene, 351
— — —, — — — — — — — heptadeoxynucleotide corresponding to the nucleotide sequence 66 to 77 of the structural gene, 407
— — —, — — — an undecadeoxynucleotide, a decadeoxynucleotide and an octadeoxynucleotide corresponding to the nucleotide sequences 7 to 27 of the structural gene, 329

Yeast alanine tRNA, chemical synthesis of the dodecadeoxynucleotide and the hexadeoxynucleotide corresponding to the nucleotide sequence 1 to 12 of the structural gene, 309
— — —, — — — — icosadeoxynucleotide corresponding to nucleotide sequence 21 to 40 of the structural gene, 219
— — —, — — — three decadeoxynucleotides corresponding to the nucleotide sequence 51 to 70 of the structural gene, 375
— — —, — — — two nonanucleotides and a heptanucleotide corresponding to nucleotide sequences 22 to 30, 41 to 49 and 28 to 34 of the structural gene, 289
— — —, enzymic joining of chemically synthesized segments to form the DNA sequence 46 to 77 of the structural gene, 457
— — —, — — — the chemically synthesized polydeoxynucleotides to form the DNA sequence 1 to 20 of the structural gene, 427
— — —, — — — — — — segments to form the DNA sequence 17 to 50 of the structural gene, 445
— — —, — — to form the total DNA duplex of the structural gene, 475
— — —, structural gene totally synthesized, 209
— phenylalanine tRNA, exchangeable protons and extent of base pairings by high-resolution nuclear magnetic resonance, 725
— 5 s RNA, extent of base pairing, 741
Younghusband, H. B. (see also Bellett, A. J. D.), 691

Zimm, B. H. (see also Klotz, L. C.), 779